

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

Struthionidae				
	Common Ostrich ( <i>Struthio camelus</i> )	PB	C	
Podicipedidae				
	Little Grebe ( <i>Tachybaptus ruficollis</i> )	PB	U	
Pelecanidae				
	Great White Pelican ( <i>Pelecanus onocrotalus</i> )	V	R	
	Pink-backed Pelican ( <i>Pelecanus rufescens</i> )	V	R	
Phalacrocoracidae				
	Great Cormorant ( <i>Phalacrocorax carbo</i> )	L	R	
Anhingidae				
	African Darter ( <i>Anhinga rufa</i> )	L		
Ardeidae				
	Cattle Egret ( <i>Bubulcus ibis</i> )	L	U	
	Great Egret ( <i>Casmerodius albus</i> )	L	U	
	Grey Heron ( <i>Ardea cinerea</i> )	L	A	
	Goliath Heron ( <i>Ardea goliath</i> )	L	C	
	Black-headed Heron ( <i>Ardea melanocephala</i> )	L	C	
	Striated Heron ( <i>Butorides striatus</i> )	L	U	
	Intermediate Egret ( <i>Mesophoyx intermedia</i> )	L	R	
Scopidae				
	Hamerkop ( <i>Scopus umbretta</i> )	PB	C	
Ciconiidae				
	White Stork ( <i>Ciconia ciconia</i> )	EM	R	
	Black Stork ( <i>Ciconia nigra</i> )	EM	R	
	Marabou Stork ( <i>Ephippiorhynchus senegalensis</i> )	L	U	
	Yellow-billed Stork ( <i>Mycteria ibis</i> )	L	U	
Threskiornithidae				
	Sacred Ibis ( <i>Threskiornis aethiopicus</i> )	L	U	
	Hadada Ibis ( <i>Bostrychia hagedash</i> )	PB	C	
	African Spoonbill ( <i>Platalea alba</i> )	L	U	
Anatidae				
	Egyptian Goose ( <i>Alopochen aegyptius</i> )	PB	A	
	African Black Duck ( <i>Alopochen sparsa</i> )	PB	U	
	Kbob-billed Duck ( <i>Sarkidionis melanotos</i> )	L	R	
	Red-billed Teal ( <i>Anas erythrorhyncha</i> )	L	R	
	Hottentot Teal ( <i>Anas hottentota</i> )	L	R	
Sagittariidae				
	Secretary Bird ( <i>Sagittarius serpentarius</i> )	PB	C	
Accipitridae				
	African Swallow-tailed Kite ( <i>Chelictinia riocourii</i> )	V	R	
	African White-backed Vulture ( <i>Gyps africanus</i> )	L	R	
	Lappet-faced Vulture ( <i>Torgos tracheliotos</i> )	L	R	
	Brown Snake-eagle ( <i>Circaetus cinereus</i> )	L	R	
	Bateleur ( <i>Terathopius ecaudatus</i> )	L	R	

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

	African Harrier Hawk ( <i>Polyboroides typus</i> )	L	U	
	Pallid Harrier ( <i>Circus macrourus</i> )	EM	C	
	Gabar Goshawk ( <i>Micronisus gabar</i> )	PB	C	
	Eastern Pale Chanting Goshawk ( <i>Melierax poliopterus</i> )	PB	A	
	Shikra ( <i>Accipiter badius</i> )	L	U	
	Little Sparrow-hawk ( <i>Accipiter minullus</i> )	L	U	
	Common Buzzard ( <i>Buteo buteo</i> )	EM	U	
	Long-legged Buzzard ( <i>Buteo rufinus</i> )	EM	R	
	African Fish Eagle ( <i>Haliaeetus vocifer</i> )	L	U	
	Tawny Eagle ( <i>Aquila rapax</i> )	PB	C	
	Verreaux's Eagle ( <i>Aquila verreauxii</i> )	PB	U	
	African Hawk-eagle ( <i>Hieraetus spilogaster</i> )	L	R	
	Long-crested Eagle ( <i>Lophanoaetus coronatus</i> )	L	R	
	Martial Eagle ( <i>Polemaetus bellicose</i> )	L	U	
	Black Shouldered Kite ( <i>Elanus caeruleus</i> )	PB	A	
	Black Kite ( <i>Milvus migrans</i> )	L	U	
	Egyptian Vulture ( <i>Neophron percnopterus</i> )	L	R	
	Hooded Vulture ( <i>Necrosyrtes monachus</i> )	L	R	
	Rupell's Griffon Vulture ( <i>Gyps rueppellii</i> )	L	R	
	Black-Chested Snake Eagle ( <i>Circaetus pectoralis</i> )	L	R	
	Lizard Buzzard ( <i>Kaupifalco monogrammicus</i> )	L	R	
	Augur Buzzard ( <i>Buteo auger</i> )	L	U	
Falconidae				
	Pygmy Falcon ( <i>Polihierax semitorquatus</i> )	PB	C	
	Eurasian Hobby ( <i>Falco subbuteo</i> )	EM	C	
	Lesser Kestrel ( <i>Falco naumanni</i> )	EM	U	
	Common Kestrel ( <i>Falco tinnunculus</i> )	EM	C	
	Peregrine Falcon ( <i>Falco peregrinus</i> )	L	R	
	Elanora's Falcon ( <i>Falco eleonora</i> )	PB	U	
Phasianidae				
	Harlequin Quail ( <i>Coturnix delegorguei</i> )	PB	C	
	Crested Francolin ( <i>Francolinus sephaena</i> )	PB	C	
	Hildebrandt's Francolin ( <i>Francolinus hildebrandti</i> )	PB	U	
	Yellow-necked Spurfowl ( <i>Francolinus leucoscepus</i> )	PB	C	
Numididae				
	Vulturine Guineafowl ( <i>Acryllium vulturinum</i> )	PB	A	
	Helmeted Guineafowl ( <i>Numida meleagris</i> )	PB	U	
Turnicidae				
	Common Button-quail ( <i>Numida meleagris</i> )	L	U	
Rallidae				
	Black Crake ( <i>Amaurornis flavirostris</i> )	PB	C	
	Comcrake ( <i>Crex crex</i> )	EM	U	
Gruidae				
	Grey Crowned Crane ( <i>Balearica regulorum</i> )	L	U	

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

Heliornithidae				
	African Finfoot ( <i>Podica senegalensis</i> )	PB	R	
Otididae				
	Kori Bustard ( <i>Ardeotis kori</i> )	PB	C	
	Crested Bustard ( <i>Eupodotis ruficrista</i> )	PB	A	
	White-bellied Bustard ( <i>Eupodotis senegalensis</i> )	PB	A	
	Black-bellied Bustard ( <i>Eupodotis melanogaster</i> )	PB	U	
Recurvirostridae				
	Black-winged Stilt ( <i>Himantopus himantopus</i> )	L	U	
Burhinidae				
	Spotted Thick-knee ( <i>Burhinus capensis</i> )	PB	C	
Glareolidae				
	Heuglin's Courser ( <i>Rhinoptilus cinctus</i> )	PB	U	
	Temminck's Courser ( <i>Cursorius temminckii</i> )	PB	U	
Charadriidae				
	Blacksmith Plover ( <i>Vanellus armatus</i> )	PB	U	
	Crowned Plover ( <i>Vanellus coronatus</i> )	PB	C	
	Black-winged Plover ( <i>Vanellus melanopterus minor</i> )	E	R	
	Three-banded Plover ( <i>Charadrius tricollaris</i> )	L	R	
Scolopacidae				
	Marsh Sandpiper ( <i>Tringa stagnatilis</i> )	EM	C	
	Common Greenshank ( <i>Tringa nebutaria</i> )	EM	C	
	Spotted Redshank ( <i>Tringa erythropus</i> )	EM	R	
	Green Sandpiper ( <i>Tringa ochropus</i> )	EM	C	
	Common Sandpiper ( <i>Actitis hypoleucos</i> )	EM	C	
	Common Snipe ( <i>Gallinago gallinago</i> )	EM	C	
	Little Stint ( <i>Calidris minuta</i> )	EM	C	
	Wood Sandpiper ( <i>Tringa glareola</i> )	EM	C	
Pteroclididae				
	Chestnut-bellied Sandgrouse ( <i>Pterocles exustus</i> )	PB	U	
	Black-faced Sandgrouse ( <i>Pterocles decoratus</i> )	PB	C	
	Lichtenstein's Sandgrouse ( <i>Pterocles lichtensteinii</i> )	L	P	
Columbidae				
	African Green Pigeon ( <i>Treron calva</i> )	L	U	
	Emerald-spotted Wood Dove ( <i>Turtur chalcospilos</i> )	PB	U	
	Namaqua Dove ( <i>Oena capensis</i> )	PB	C	
	Olive pigeon ( <i>Columba arquatrix</i> )	L	R	
	Red-eyed Dove ( <i>Streptopelia semitorquata</i> )	PB	C	
	African Mourning Dove ( <i>Streptopelia decipiens</i> )	L	U	
	Ring-necked Dove ( <i>Streptopelia capicola</i> )	PB	A	
	Laughing Dove ( <i>Streptopelia senegalensis</i> )	PB	A	
	Speckled Pigeon ( <i>Columba guinea</i> )	PB	C	
	Dusky Turtle Dove ( <i>Streptopelia lugens</i> )	L	P	
Psittacidae				

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

	Brown Parrot ( <i>Psittacus meyeri</i> )	PB	C	
Musophagidae				
	White-bellied Go-away-bird ( <i>Corythaixoides leucogaster</i> )	PB	A	
Cuculidae				
	Black-and-White Cuckoo ( <i>Oxylophus jacobinus</i> )	EM	U	
	Levaillant's Cuckoo ( <i>Oxylophus levaillantii</i> )	EM	C	
	Great Spotted Cuckoo ( <i>Clamator glandarius</i> )	EM	U	
	Red-chested Cuckoo ( <i>Cuculus solitarius</i> )	L	U	
	Eurasian Cuckoo ( <i>Cuculus canorus</i> )	EM	A	
	Diederik Cuckoo ( <i>Chrysococcyx caprius</i> )	L	U	
	White-browed Coucal ( <i>Centropus superciliosus</i> )	PB	C	
	Black Cuckoo ( <i>Cuculus clamosus</i> )	EM	R	
	Klaas's Cuckoo ( <i>Chrysococcyx klaas</i> )	L	R	
Tytonidae				
	Barn Owl ( <i>Tyto alba</i> )	L	U	
Strigidae				
	African Scops Owl ( <i>Otus senegalensis</i> )	PB	C	
	Spotted Eagle-owl ( <i>Bubo africanus</i> )	PB	U	
	Pearl-spotted Owlet ( <i>Glaucidium perlatum</i> )	L	U	
	Verreaux's Eagle-owl ( <i>Bubo lacteus</i> )	L	U	
Caprimulgidae				
	Slender-tailed Nightjar ( <i>Caprimulgus clarus</i> )	PB	C	
	Donaldson-smith's Nightjar ( <i>Caprimulgus donaldsoni</i> )	L	U	
Apodidae				
	Nyanza Swift ( <i>Apus niansae</i> )	IM	U	
	White-rumped Swift ( <i>Apus caffer</i> )	L	C	
	Mottled Swift ( <i>Apus aequatorialis</i> )	L	U	
	Horus Swift ( <i>Apus horus</i> )	IM	U	
	Little Swift ( <i>Apus affinis</i> )	L	U	
	Alpine Swift ( <i>Apus melba</i> )	IM	R	
Coliidae				
	Speckled Mousebird ( <i>Colius striatus</i> )	PB	A	
	White-headed Mousebird ( <i>Colius leucocephalus</i> )	PB	C	
	Blue-naped Mousebird ( <i>Urocolius macrourus</i> )	PB	U	
Alcedinidae				
	Grey-headed Kingfisher ( <i>Halcyon leucocephala</i> )	PB	C	
	Malachite Kingfisher ( <i>Alcedo cristata</i> )	PB	U	
	Giant Kingfisher ( <i>Megaceryle maxima</i> )	PB	U	
	Pied Kingfisher ( <i>Ceryle rudis</i> )	PB	C	
Meropidae				
	Eurasian Bee-eater ( <i>Merops apiaster</i> )	EM	A	
	White-throated Bee-eater ( <i>Merops albicollis</i> )	EM	U	
	Little Bee-eater ( <i>Merops pusillus</i> )	PB	C	
	Cinnamon-chested Bee-eater ( <i>Merops oreobates</i> )	L	P	

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

Coraciidae			
	Rufous-crowned Roller ( <i>Coracias naevia</i> )	IM	A
	Eurasian Roller ( <i>Coracias garrulus</i> )	EM	U
	Lilac-breasted Roller ( <i>Coracias caudate</i> )	L	P
Upupidae			
	Hoopoe ( <i>Upupa epops</i> )	PB	C
Phoeniculidae			
	Green Wood-hoopoe ( <i>Phoeniculus purpureus</i> )	PB	C
	Abyssinian Scimitarbill ( <i>Rhinopomastus minor</i> )	PB	U
	Common Scimitarbill ( <i>Rhinopomastus cyanomelas</i> )	L	R
Bucerotidae			
	Red-billed Hornbill ( <i>Tockus erythrorhynchus</i> )	PB	C
	Von der Decken's Hornbill ( <i>Tockus deckeni</i> )	PB	A
	African Grey Hornbill ( <i>Tockus nasurus</i> )	L	P
	Crowned Hornbill ( <i>Tockus alboterminatus</i> )	L	P
Capitonidae			
	Red-fronted Barbet ( <i>Tricholaema diademata</i> )	PB	C
	Red-and-yellow Barbet ( <i>Trachyphonus erythrocephalus</i> )	L	U
	D'Arnaud's Barbet ( <i>Trachyphonus darnaudii</i> )	PB	A
	Spot-flanked Barbet ( <i>Tricholaema diademata</i> )	PB	U
	Red-fronted Tinkerbird ( <i>pogoniulus pusillus affinis</i> )	L	U
Indicatoridae			
	Scaly-throated Honeyguide ( <i>Indicator variegates</i> )	L	U
	Greater Honeyguide ( <i>Indicator indicator</i> )	PB	C
	Eastern Honeybird ( <i>Prodotiscus zambesiae</i> )	PB	C
	Lesser Honeyguide ( <i>Indicator minor</i> )	PB	U
	Wahlbergs Honeyguide ( <i>Prodotiscus regulus</i> )	L	P
Picidae			
	Nubian Woodpecker ( <i>Campethera nubica</i> )	PB	C
	Cardinal Woodpecker ( <i>Dendropicos fuscescens</i> )	PB	C
	Bearded Woodpecker ( <i>Dendropicos namaquus</i> )	PB	C
	Grey Woodpecker ( <i>Dendropicos goertae</i> )	PB	C
Alaudidae			
	Singing Bush Lark ( <i>Mirafraga cantillans</i> )	PB	A
	Fischer's Sparrow-Lark ( <i>Eremopterix leucopareia</i> )	PB	A
	Rufous-naped Lark ( <i>Mirafraga africana</i> )	L	R
	Fawn-coloured Lark ( <i>Mirafraga africanoides</i> )	L	R
Hirundinidae			
	Banded Martin ( <i>Riparia cincta</i> )	EM	R
	Wire-tailed Swallow ( <i>Hirundo smithii</i> )	L	U
	Barn Swallow ( <i>Hirundo rustica</i> )	EM	A
	Ethiopian Swallow ( <i>Hirundo aethiopica</i> )	PB	C
	Red-rumped Swallow ( <i>Hirundo daurica</i> )	PB	C
	Lesser-striped Swallow ( <i>Hirundo abyssinica</i> )	PB	A

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

	Rock Martin ( <i>Hirundo fuligula</i> )	PB	A	
	Common House Martin ( <i>Delichon urbica</i> )	EM	U	
	Black Saw-wing ( <i>Psalidoprocne holomelas</i> )	PB	A	
	Angola Swallow ( <i>Hirundo angolensis</i> )	?	P	
	Mosque Swallow ( <i>Hirundo Senegalensis</i> )	L	P	
Motacillidae				
	African Pied Wagtail ( <i>Motacilla aguimp</i> )	PB	A	
	Yellow Wagtail ( <i>Motacilla flava</i> )	EM	C	
	Grassland Pipit ( <i>Anthus cinnamomeus</i> )	PB	U	
	Plain-backed Pipit ( <i>Anthus leucophrys</i> )	?	P	
	Tree Pipit ( <i>Anthus trivialis</i> )	EM	R	
	Bush Pipit ( <i>Anthus caffer blayneyi</i> )	?	P	
	Golden Pipit ( <i>Tmetothylacus tenellus</i> )	EM	P	
Pycnonotidae				
	Common Bulbul ( <i>pycnonotus barbatus</i> )	PB	A	
Timaliidae				
	Rufous Chatterer ( <i>Turdoides rubiginosus</i> )	PB	A	
	Scaly Chatterer ( <i>Turdoides aylmeri</i> )	PB	C	
	Brown Babbler ( <i>Turdoides plebejus</i> )	L	P	
Turdidae				
	White-browed Robin-Chat ( <i>Cossypha heuglini</i> )	PB	C	
	Spotted Mourning Thrush ( <i>Cichladusa guttata</i> )	PB	A	
	White-browed Scrub Robin ( <i>Cercotrichas leucophrys</i> )	PB	A	
	Irania ( <i>Irania gutturalis</i> )	EM	U	
	Northern Wheatear ( <i>Oenanthe oenanthe</i> )	EM	A	
	Pied Wheatear ( <i>Oenanthe pleschanka</i> )	EM	U	
	Isabelline Wheatear ( <i>Oenanthe isabellina</i> )	EM	C	
	White-shouldered Cliff Chat ( <i>Thamnolaea cinnamomeiventris</i> )	PB	C	
	Common Rock Thrush ( <i>Monticola saxatilis</i> )	EM	A	
	Little Rock Thrush ( <i>Monticola rufocinereus</i> )	EM	U	
	Bare-eyed Thrush ( <i>Turdus tephronotus</i> )	L	U	
	Cape Robin Chat ( <i>Cossypha caffra</i> )	L	P	
	Whinchat ( <i>Saxicola rubetra</i> )	EM	P	
	Capped Wheatear ( <i>Oenanthe pileata</i> )	L	P	
Muscicapidae				
	Spotted Fly Catcher ( <i>Muscicapa striata</i> )	EM	U	
	Northern Black Flycatcher ( <i>Melaenornis edolioides</i> )	PB	U	
	African Grey Flycatcher ( <i>Bradornis microrhynchus</i> )	PB	C	
	Pale Flycatcher ( <i>Brandonis pallidus</i> )	PB	A	
	White-eyed Slaty Flycatcher ( <i>Melaenornis fischeri</i> )	L	C	
Sylviidae				
	Common Whitethroat ( <i>Sylvia communis</i> )	EM	A	
	Blackcap ( <i>Sylvia atricapilla</i> )	EM	C	
	Rattling Cisticola ( <i>Cisticola chiniana</i> )	PB	A	

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

	Tiny Cisticola ( <i>Cisticola nanus</i> )	?	P	
	Pectoral-patch Cisticola ( <i>Cisticola brunescens</i> )	PB	C	
	Boran Cisticola ( <i>Cisticola bodessa</i> )	?	P	
	Tawny-flanked Prinia ( <i>Prinia subflava</i> )	PB	A	
	Grey Wren-Warbler ( <i>Calamonastes simplex</i> )	PB	C	
	Grey-backed Camaroptera ( <i>Camaroptera brachyura</i> )	PB	A	
	Yellow-breasted Apalis ( <i>Apalis flavida</i> )	PB	C	
	Red-fronted Warbler ( <i>Spiloptila rufifrons</i> )	PB	C	
	Red-faced Crombec ( <i>Sylvietta whylii</i> )	PB	C	
	Yellow-bellied Eremomela ( <i>Eremomela icteropygialis</i> )	L	U	
	Banded Parisoma ( <i>Parisoma boehmi</i> )	PB	A	
	Willow Warbler ( <i>Phylloscopus trochilus</i> )	EM	A	
	Olivaceous Warbler ( <i>Hippolais pallida elaeica</i> )	EM	U	
Zosteropidae				
	Yellow Whiteeye ( <i>Zosterops senegalensis</i> )	L	C	
	Abyssinian White-eye ( <i>Zosterops abyssinicus</i> )	?	P	
Paridae				
	Northern Grey Tit ( <i>Parus thruppi</i> )	PB	C	
	White-bellied Tit ( <i>Parus albiventris</i> )	L	P	
Remizidae				
	African Penduline Tit ( <i>Anthoscopus caroli</i> )	?	P	
	Mouse-coloured Penduline Tit ( <i>Anthoscopus musculus</i> )	?	P	
Monarchidae				
	African Paradise Flycatcher ( <i>Terpsiphone viridis</i> )	PB	C	
Platysteiridae				
	Chin-spot Batis ( <i>Batis molitor</i> )	PB	A	
Prionopidae				
	Northern White-crowned Shrike ( <i>Eurocephalus rueppelli</i> )	PB	A	
Laniidae				
	Red-backed Shrike ( <i>Lanius collurio</i> )	EM	C	
	Red-tailed Shrike ( <i>Lanius isabellinus</i> )	EM	A	
	Lesser Grey Shrike ( <i>Lanius minor</i> )	EM	U	
	Taita Fiscal ( <i>Lanius dorsalis</i> )	PB	A	
	Common Fiscal ( <i>Lanius collaris</i> )	L	P	
Malaconotidae				
	Brubru ( <i>Nilaus afer</i> )	PB	A	
	Three-streaked Tchagra ( <i>Tchagra jamesi</i> )	PB	C	
	Sulphur-breasted Bush-shrike ( <i>Malaconotus sulfureopectus</i> )	L	P	
	Grey-headed Bush-shrike ( <i>Malaconotus blanchoti</i> )	PB	C	
	Rosy-patched Bush-shrike ( <i>Rhodophoneus cruentus</i> )	PB	A	
	Tropical Boubou ( <i>Laniarius ruficeps</i> )	L	U	
	Slate-coloured Boubou ( <i>Laniarius funebris</i> )	PB	A	
	Nothern Puffback ( <i>Dryoscopus gambensis</i> )	L	U	
	Brown-crowned Tchagra ( <i>Tchagra australis</i> )	L	U	

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

Campephagidae				
	Black Cuckoo-shrike ( <i>Campephaga flava</i> )	L	U	
Dicruridae				
	Common Drongo ( <i>Dicrurus adsimilis</i> )	PB	A	
Oriolidae				
	Black-headed Oriole ( <i>Oriolus larvatus</i> )	PB	A	
	Eurasian Golden Oriole ( <i>Oriolus oriolus</i> )	EM	U	
Corvidae				
	Pied Crow ( <i>Corvus albus</i> )	L	U	
	Fan-tailed Raven ( <i>Corvus rhipidurus</i> )	PB	A	
Sturnidae				
	Hildebrandt's Starling ( <i>Lamprotornis hildebrandti</i> )	L	U	
	Superb Starling ( <i>Lamprotornis superbus</i> )	PB	C	
	Golden-breasted Starling ( <i>Cosmopsarus regius</i> )	L	U	
	Fischer's Starling ( <i>Spreo fischeri</i> )	L	R	
	Magpie Starling ( <i>Speculipastor bicolor</i> )	L	U	
	Wattled Starling ( <i>Creatophora cinerea</i> )	E	C	
	Red-billed Oxpecker ( <i>Buphagus erythrorhynchus</i> )	PB	C	
	Yellow-billed Oxpecker ( <i>Buphagus africanus</i> )	L	U	
	Red-winged Starling ( <i>Onychognathus morio</i> )	L	U	
	Blue-eared Glossy Starling ( <i>Lamprotornis chalybaeus</i> )	PB	C	
Nectariniidae				
	Eastern Violet Backed Sunbird ( <i>Anthreptes reichonowi</i> )	L	U	
	Hunters Sunbird ( <i>Nectarinia hunteri</i> )	PB	U	
	Marico Sunbird ( <i>Nectarinia mariquensis</i> )	PB	A	
	Golden-winged Sunbird ( <i>Nectarinia reichonowi</i> )	L	R	
	Scarlet-chested Sunbird ( <i>Nectarinia senegalensis</i> )	?	P	
	Variable Sunbird ( <i>Nectarinia venusta</i> )	L	P	
	Collared Sunbird ( <i>Hedydipna collaris</i> )	PB	A	
	Northern Double-collared Sunbird ( <i>Nectarinia preussi</i> )	L	U	
	Bronze Sunbird ( <i>Nectarinia kilimensis</i> )	L	R	
Passeridae				
	Rufous Sparrow ( <i>Passer rufocinctus</i> )	PB	A	
	Grey-headed Sparrow ( <i>Passer griseus</i> )	PB	C	
	Yellow-spotted Petronia ( <i>Petronia pyrgita</i> )	PB	A	
Ploceidae				
	Chestnut Sparrow ( <i>Passer eminibey</i> )	PB	A	
	White-headed Buffalo-Weaver ( <i>Dinemellia dinemelli</i> )	L	U	
	White-browed Sparrow-Weaver ( <i>Plocepasser mahali</i> )	PB	A	
	Grey-capped Social Weaver ( <i>Pseudonigrita arnaudi</i> )	PB	A	
	Black-capped Social Weaver ( <i>Pseudonigrita cabanisi</i> )	PB	C	
	Speckle-fronted Weaver ( <i>Sporopipes frontalis</i> )	PB	A	
	Baglafaecht Weaver ( <i>Ploceus baglafaecht</i> )	PB	C	
	Black-necked Weaver ( <i>Ploceus nigricollis</i> )	PB	C	

## Birds of Tumaren

Status: P=Permanent Resident, L=Local, E=Eruptive, B=Breeding Tumaren Area, EM=Eurasian Migrant, AM=Intra-African Migrant, V=Vagrant

Abundance: A=Abundant, C=Common, U=Uncommon, R=Rare, P=Possible

	Vitelline Masked Weaver ( <i>Ploceus velatus</i> )	PB	C	
	Lesser Masked Weaver ( <i>Ploceus intermedius</i> )	PB	U	
	Chestnut Weaver ( <i>Ploceus rubiginosus</i> )	E	C	
	Red-billed Buffalo-weaver ( <i>Bubalornis niger</i> )	L	U	
	Spectacled Weaver ( <i>Ploceus ocularis</i> )	L	P	
	Red-headed Weaver ( <i>Anaplectes rubriceps</i> )	PB	U	
	Red-billed Quelea ( <i>Quelea quelea</i> )	E	C	
	White-winged Widowbird ( <i>Euplectes albonotatus</i> )	L	P	
	Long-tailed Widowbird ( <i>Euplectes progne delamerei</i> )	L	P	
Estrildidae				
	Red-billed Firefinch ( <i>Lagonosticta senegala</i> )	PB	C	
	Crimson-rumped Waxbill ( <i>Estrilda rhodopyga</i> )	PB	C	
	Common Waxbill ( <i>Estrilda astrild</i> )	PB	C	
	Black-cheeked Waxbill ( <i>Estrilda charmosyna</i> )	PB	U	
	Red-cheeked Cordon-bleu ( <i>Uraeginthus bengalus</i> )	PB	C	
	Purple Grenadier ( <i>Uraeginthus ianthinogaster</i> )	PB	A	
	Quail-Finch ( <i>Ortygospiza locusstella</i> )	L	U	
	African Silverbill ( <i>Lonchura cantans</i> )	PB	U	
	Grey-headed Silverbill ( <i>Lonchura griseicapilla</i> )	PB	A	
	Bronze Mannikin ( <i>Lonchura cucullata</i> )	L	U	
	Cut-throat Finch ( <i>Amadina fasciata</i> )	PB	C	
	Blue-capped Cordon-bleu ( <i>Uraeginthus cyanocephalus</i> )	?	P	
	Steel-blue Whydah ( <i>Vidua hypocherina</i> )	PB	U	
	Pin-tailed Whydah ( <i>Vidua macroura</i> )	PB	C	
	Straw-tailed Whydah ( <i>Vidua fischeri</i> )	PB	C	
	Village Indigobird ( <i>Vidua chalybeata</i> )	L	P	
	Paradise Whydah ( <i>Vidua paradisaea</i> )	?	P	
Fringillidae				
	African Citril ( <i>Serinus citrinelloides</i> )	L	C	
	White-bellied Canary ( <i>Serinus mozambicus</i> )	PB	A	
	Yellow-rumped Seedeater ( <i>Serinus reichenowi</i> )	PB	A	
	Brimstone Canary ( <i>Serinus sulphuratus</i> )	?	P	
Emberizidae				
	Cinnamon-breasted Rock Bunting ( <i>Emberiza tahapisi</i> )	L	U	
	Golden-breasted Bunting ( <i>Emberiza flaviventris</i> )	PB	U	